SHELVING SYSTEMS



CORE OF YOUR RETAIL SPACE







The core of Modern Expo Shelving is the **FS System** with middle back panel


The FS system is designed to maximize the efficiency of the shopping space


Receive extra **50 mm** useful depth on each shelf, using the space which wasn't utilized between two back panels





Increase the passage without reduction of the shelves useful depth






CUSTOMIZED HOOKS FOR DIFFERENT RETAIL FORMATS

HOUSEHOLD **TEXTILE POPULAR** SPORT **APPLIANCE**







DIFFERENT TYPES OF GONDOLA END



STANDARD SOLUTION WITH A POSSIBILITY FOR FREEZER INSTALLATION



PREMIUM PROMO SOLUTION




PROMO SOLUTION




ROUNDED SOLUTION

FRONT UPRIGHT

Shelving with a front upright designed for high-load capacity and can withstand even 1000 kg load on one section






The Wire Shelving System with Middle Back Panel is a premium solution aiming to maximize the efficiency of the shopping space and product visibility. The sleek and modern design will complement any store aesthetic.

- Eye-catching design
- Maximize the visibility of your goods for different retail formats
- Modular solution
- LED lighting for the best product exposition



- Eye-catching design
- Maximize the visibility of your goods for different retail formats
- Modular solution
- LED lighting for the best product exposition



FS SHELVING SYSTEM – MIDDLE BACK PANEL SOLUTION

FEATURES:

- The most efficient use of shopping space
- The best solution for island units
- Design and building options are tailored to the store's concept and provide the most efficient use of shopping areas
- Huge quantity of accessory
- LED lighting for hinged shelves
- Wire shelf and back panel as an options

TECHNICAL SPECIFICATION:

- Width (W), mm: 665, 1000, 1250, 1330
- Shelves depth (D), mm: 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750
- Height (H), mm: 1320, 1473, 1625, 1778, 1930,
 2082, 2235, 2387
- Inclining angle for hinged shelves, °: -1, 15,
- Upright profile, mm: 80*30, 100*30
- Perforation pitch, mm: 25.4
- Base shelf level height, mm: 128-178



KM SHELVING SYSTEM — BACK PANEL SOLUTION

FEATURES:

- Reliable equipment base for different retail formats
- The best solution for wall units
- A perfect and practical solution for different retail formats and everyday usage
- Wide range of accessories
- Storage racks integration
- LED lightings for hinged shelves

TECHNICAL SPECIFICATION:

- Width (W), mm: 665, 1000, 1250, 1330
- Shelves depth (D), mm: 270, 300, 370, 400, 470, 500, 570, 600, 670,
- Height (H), mm: 1320, 1473, 1625, 1778, 1930,
 2082, 2235, 2387
- Inclining angle for hinged shelves, °: -1, 15,
- Upright profile, mm: 80*30, 100*30
- Perforation pitch, mm: 25.4
- Base shelf level height, mm: 128-178

